Round LED Warning Light - Model Trail 6 Flash

PRODUCT INFORMATION

Description	12V LED Safety & Warning Light
Height	94.00 mm / 3.7 in
Width	91.00 mm / 3.58 in
Depth	61.30 mm / 2.41 in
Shape	Round
Outer Lens Material	Polycarbonate
Outer Lens Color	Clear
Housing Material	Aluminium
Housing Color	Black
Bezel Color	Graphite
Mounting Hardware Description	(x1) 8-1.25 x 20 Stainless Steel
Mounting Type	Pedestal/Panel
Minimum Operating Temperature	40 °C / 104 °F
Maximum Operating Temperature	80 °C / 176 °F
Connector or Wiring	Inegrated Connector Harness
Product Weight	2.00 lbs / 0.91 kgs
Shipping Weight	2.85 lbs / 1.29 kgs

TRAIL 6 FLASH.

PRODUCT DIMENSIONS

J.W. SPEAKER
Engineered. Lighting. Solutions.

Round LED Warning Light - Model Trail 6 Flash

ELECTRICAL SPECIFICATIONS

Input Voltage	12V DC
Operating Voltage	10-15V DC
Red Wire	Power
White Wire	Over-Ride
Black Wire	Ground
Green Wire	Sensitivity
Current Draw	0.87A @ 12V DC

REGULATORY STANDARDS COMPLIANCE

Buy America Standards   Eco Friendly

PHOTOMETRIC SPECIFICATIONS

Raw Lumen Output	690
Effective Lumen Output	330
Candela Output	10,000
Beam Pattern(s)	Warning - Flashing Warning

APPLICATIONS

Off-Road 4x4

J.W. SPEAKER
Engineered. Lighting. Solutions.

Round LED Warning Light - Model Trail 6 Flash

PRODUCT WARNINGS

For California residents:
⚠️ **WARNING:** Cancer and reproductive harm - www.P65Warnings.ca.gov.
⚠️ **AVERTISSEMENT:** Cancer et effet nocif sur la reproduction - www.P65Warnings.ca.gov.

ACCESSORIES

Part Number 8200563
Appearance Kit - White ABS

RELATED PRODUCTS

Part Number 8200543
APPEARANCE KIT - BLACK

Part Number 8200553
Appearance Kit - RED

J.W. SPEAKER®
Engineered. Lighting. Solutions.